



INDEX MAPS.

T.31N, R.9E. 2nd Mer.



T.32N, R.9E. 2nd Mer.



The figures on the lines refer to the page.

125

Township T32. North of Range R9 East 2nd Mer. Indiana

South Boundary.

West On South Boundary of Sec 36 var. 6° 15' E
 25.45 A W. Oak 14 in. diam.
 33.00 Enter Miller Swamp
 37.50 Leave same
 40.00 Set a q. Sec post from which
 a W. Oak 30 in. diam. bears N. 63° E 18 1/2 links dist. &
 a Do 34 " " " N. 71 1/2 W. 200 " "
 61.43 An Aspin 7 in. diam.
 62.50 Enter Marsh
 74.00 Leave same
 80.00 Set a post cor. to Sec. 35 & 36 from which
 a W. Oak 10 in. diam. bears N. 27° E 9 links dist. &
 a Do 8 " " " N. 60 1/2 W. 63 " "
 Land level & 2nd rate. Timber. Oak & Aspin.
 Undergth. Plum & Aspin.

West On South Boundary of Sec. 35
 11.74 A W. Oak 12 in. diam.
 26.29 A Hickory 18 " "
 40.00 Set a q. Sec. post from which
 a Red Oak 18 in. diam. bears N. 79° E. 47 links dist. &
 a W. Oak 18 " " " N. 36 1/2 W. 85 " "
 40.05 Intersect the Range line T. 31 N. 12. chains &
 93 links North of Temp. Post.
 Set a Post from which
 a Red Oak 30 in. diam. bears S. 75° E. 79 links dist. &
 a W. Oak 9 " " " S. 57 W. 81 " "
 64.10 A Birch 22 " "
 71.50 A Stream (supposed to be Thorpe Cr. 50 links
 wide. course S W.
 80.00 Set a Post cor. to Sec. 34 & 35 from which
 a Maple 4 in. diam. bears N. 36 1/2 W. 10 links dist. &
 a Hickory 4 " " " N. 52 E. 46 " "
 Land level. East of stream 2nd rate. Timber mostly
 Oak West of the stream 1st rate Ash. Elm. Spruce.

T 32. A B 9 E 3rd Mer. Indiana

and some Beech. &c. Undergth same

West On South Boundary of Sec 34
 13. 82 A Beech 20 in. diam.
 28 75 A B Walnut 34 in. "
 40.00 Set a g. Sec. post from which
 a Maple 4 in. diam. bears N. 62 E. 22 links dist &
 a Buckeyes " " " N. 69 W. 83 " "
 51. 64 A B. Ash 10 " "
 54.00 A Brook 6 links wide. Course S E.
 60 45 A W. Ash 18 in. diam.
 80.00 Set a Post cor. to Sec. 33 & 34 from which
 a Beech 8 in. diam. bears N. 22 E. 13 links dist &
 a Do 8 " " " N. 18 E. 7 1/2 " "
 Sand rolling & 1st rate. Timber Beech. Sugar
 Ash. Elm. Syc. &c. Undergth same

West On South Boundary of Sec. 33
 20 79 A Beech 10 in. diam.
 27. 77 A Do 12 " "
 38.00 A Brook 6 links wide. Course South.
 40.00 Set a g. Sec. post from which
 a Blue Ash 18 in. diam. bears N. 84 E. 18 links dist &
 a W. Oak 10 " " " N. 17 W. 34 " "
 51. 53 A W. Oak 24 " "
 60.00 Enter Miller Swamp
 80.00 Set a Post cor. to Sec. 32 & 33 from which
 a Cherry 6 in. diam. bears N. 88 E. 13 1/2 links dist &
 a B. Ash 6 " " " West 3. 14 " "
 Sand &c much the same.

West On South Boundary of Sec 33
 19.00 Leave the same
 19. 32 An Aspin 14 in. diam.
 40.00 Set a g. Sec. post from which
 a W. Oak 24 in. diam. bears N. 89 E. 31 links dist &

127

T32 N. R. 9 E. 2nd Mer. Indiana

a W. Oak 24 in. diam. bears N. 17 W. 23 links dist
 58.50 A W. Oak 18 " " "
 71.70 A Hickory 12 " " "
 80.00 Set a Post Cor. to Sec. 31 & 32 from which
 a Beech 15 in. diam. bears N. 57 E. 6.6 links dist &
 an Iron rod 6 " " " N. 43 W. 23 " "
 Land the same as last mile

W. 6 On South Boundary of Sec. 31.
 10.48 A W. Oak 40 in. diam.
 38.25 A Beech 12 " "
 40.00 Set a q. Sec. post from which
 a W. Oak 10 in. diam. bears N. 9 W. 64 links dist &
 a Red Oak 30 " " " N. 33 E. 81 " "
 54.76 A W. Oak 20 " "
 73.50 Enter Willow Swamp
 80.20 Set a Post corner to Twp 32 North of Range 8 & 9
 East from which
 a P. Oak 10 in. diam. bears N. 45 W. 206 links dist &
 an Apple 6 " " " N. 8 E. 2.53 " "
 Land the same as the same.

Oct 31st 1833.

Surveyed by
 Ephraim L. L. D. S.

East Boundary

North Between Sec. 35 & 36 On Random Var. 5° 40' E.
 40.00 Set a Temp. q. Sec. post
 57.50 To Willow Swamp.
 77.00 Leave same
 80.00 Set a Temp. Post cor. to Sec. 25 & 36
 Land here. 2nd rate. Timber. Oak. Sugar
 & Hickory Undergrowth Ironwood.

North On Random On South Boundary of Sec 25
 40.00 Set a Temp. q. Sec. post.
 77.26 A Stream 50 links wide. Course S. W.

S 32 N R. 9 E Ind. Mer. Indiana.

80.00 Set a Temp. Post Cor. to Sec. 24 & 25
Land level 1st rate. Timber. Sugar. Elm Ash
& Buckeye.

North On Random On East Boundary of Sec 24
40.00 Set a Temp. q. Sec post
80.00 Set " " Post Cor. to Sec. 13 & 24
Land & Timber as before

North On Random On East Boundary of Sec 13
40.00 Set a Temp. q. Sec post
80.00 Set a " " Post Cor. to Sec. 13 & 13
Land on 1st 1/2 mile 1st rate. 2nd 1/2 Rolling 2nd rate
Timber. Walnut Ash. & Sugar. Undergth Buckeye.
Spice & Sugar.

North On Random On East Boundary of Sec 12
25.10 A Trail. Course S 41°
40.00 Set a Temp. q. Sec post.
53.23 Set a Temp. Post on S.E. corner of Lake
75.17 Set a " " on N.E. " " "
This Lake was passed by an Officer of 6 ch. East
80.00 Set a Temp. Post Cor. to Sec. 11 & 13
Land 2nd rate. Timber. Oak Ash & Beech
Undergth Chinwood & Spice.

North On Random On East Boundary of Sec 1
40.00 Set a Temp. q. Sec post
80.00 Intersect the North Boundary at Post.
Land & as before June 30th 18-

South On True line On East Boundary of Sec 1
38.50 A B. Ash 40 in. diam.
40.00 Set a q. Sec post from which
a Beech 12 in. diam. bears N. 33. N. 1/2 S. 1/2 W. dist 8
a Box-Oak 21 " " " " 1687733

T 32 N. R 9 E. 2nd Mer Indiana

129

58. 55 A Beech 24 in. diam.
 80. 00 Set a Post cor. to Sec. 1 & 2 from which
 a Hickory 15 in. diam. bears N. 75 W. 35 links dist. &
 a Do 7 " " " S. 38 W. 36 " "

- South Corrected on East Boundary of Sec 12
 4. 83 Set a Post on E. & S. cor. of Lake from which
 a B. Ash 6 in. diam. bears N. 5 W. 23 links dist. &
 a Do 4 " " " N. 85 E. 15 " "
 26. 77 Set a Post in the S. E. cor. of Lake from which
 an Ironwood 6 in. diam. bears N. 65 E. 19 links dist. &
 a Hickory 10 " " " S. 15 W. 28 " "
 27. 36 A Do 12 " "
 40. 00 Set a q. Sec. post from which
 a Beech 18 in. diam. bears N. 45 W. 29 links dist. &
 a Do 18 " " S. 55 W. 32 " "
 58. 06 A W. Oak 28 " "
 80. 00 Set a Post cor. to Sec. 12 & 13 from which
 an Elm 23 in. diam. bears N. 34 W. 22 links dist. &
 a Do 8 " " " S. 42 W. 44 " "

- South Corrected On East Boundary of Sec 13
 28. 80 A B. Ash 17 in. diam.
 40. 00 Set a q. Sec. post from which
 a Beech 24 in. diam. bears N. 5 W. 33 links dist. &
 a Do 6 " " " S. 41 W. 39 " "
 67. 14 A W. Oak 22 in. diam.
 80. 00 Set a post cor. to Sec. 13 & 24 from which
 a Beech 8 in. diam. bears N. 10 W. 55 links dist. &
 a Hickory 27 " " " N. 56 W. 5 " "

- South Corrected On East Boundary of Sec. 24
 32. 06 A Beech 20 in. diam.
 40. 00 Set a q. Sec. post from which
 an Elm 6 in. diam. bears N. 50 W. 28 links dist. &
 a S. Ash 6 " " " S. 22 W. 3 " "

T 32 N. R. 9 E. Ind. Mer. Indiana

70.28 A Sugar 20 in. diam.
 80.00 Set a Post cor. to Sec. 24 & 25 from which
 a Buckeye 12 in. diam. bears N. 22 W. 22 links dist &
 a Sugar 24 " " " S. 44 W. 29 " "

South Corrected On East Boundary of Sec 25

32.97 A Sycamore 22 in. diam.
 40.00 Set a gr. Sec post from which
 an Elm 10 in. diam. bears N. 56 W. 12 links dist &
 a B. Ash 8 " " " S. 39 W. 12 " "
 63.82 A Sugar 40 in. diam.
 80.00 Set a Post cor. to Sec. 25 & 26 from which
 a Beech 10 in. diam. bears N. 21 W. 33 links dist &
 a Cherry 17 " " " S. 12 W. 41 " "

South Corrected On East Boundary of Sec 36

32.08 A Beech 24 in. diam.
 40.00 Set a gr. Sec post from which
 a Beech 15 in. diam. bears N. 32 W. 11 links dist &
 a Hickory 12 " " " S. 14 W. 27 " "
 36.87 A Sp. Oak 21 " "
 80.00 Set a Post cor. to Sec. 1. 6. 31 & 36. Towns 31 & 32
 Ranges 9 & 10 from which
 a W. Oak 10 in. diam. bears N. 22 W. 33 links dist &
 a Do 22 " " " S. 9 W. 41 " "

North Boundary Van. 5° 30' E
 West On South Boundary of Sec. 36 T 33. N. R. 9 E.

24.68 A Sugar 22 in. diam.
 40.00 Set a gr. Sec post from which
 a Beech 15 in. diam. bears N. 24 E. 40 links dist &
 a Do 18 " " " N. 54 W. 37 " "
 50.22 A Poplar 24 " "
 80.00 Set a Post cor. to Sec. 35 & 36 from which
 a Blue Ash 19 in. diam. bears N. 83 E. 62 links dist &
 a Beech 20 " " " N. 70 W. 16 " "

T33 N R9 E. 1st Mer. Indiana

131

Land level 2nd rate. Timber Sugar. Beech & Ash.
Undergrowth: Spice Sugar. & Thorns.

Note On South Boundary of Sec 35 T33 N R9 E.
 19. 80 A W Oak 30 in. diam.
 26. 50 Enter Fallen Swamp "
 37. 50 Leave same
 40. 00 Set a g. Sec post from which
 an Elm 21 in. diam. bears N. 53 E. 9 links dist &
 a W Oak 12 " " " N 80 W 39 " "
 54. 71 A Beech 20 " "
 68. 23 A Hickory 30 " "
 80. 00 Set a Post cor. to Sec. 34 & 35 from which
 a Beech 15 in. diam. bears N. 54 E. 4 links dist &
 a Do 15 " " " N 59 W. 20 " "
 Land is as before.

Note On South Boundary of Sec 34 T33 N R9 E.
 29. 76 A Burr Oak 18 in. diam.
 40. 00 Set a g. Sec. post from which
 a Beech 24 in. diam. bears N. 64 E. 14 links dist &
 a Do 5 " " " N 46 W. 37 " "
 68. 60 A Beech 28 "
 76. 33 Set a Post on the East Bank of Lake. from which
 a B. Beech 5 in. diam. bears N. 65 E. 16 links dist &
 a Spruce 30 " " " S. 64 E. 46. " "
 80. 00 This Corner in Lake (Sec. 33 & 34)
 Land except Lake as before.

Note On North Boundary of Sec 33 T33 N R9 E.
 20. 50 Set Post on West Bank of Lake
 This Lake was peeped by an offset of 35 chains North &.
 25. 50 Leave the Swamp.
 37. 29 A Beech 15 in. diam.
 40. 00 Set a g. Sec post from which
 a Beech 18 in. diam. bears N 8 E. 19 links dist &

T 33 N. R 9 E. 2nd Mer. Indiana.

- a Beech 24 in. diam. bears N. 64 W. 38 links dist.
 65 40 A W. Oak 21 " " "
 80. 00 Corner to Sec. 32 + 33 is a B. Ash 36 in. diam.
 Land Rolling 2nd rate. Timber Beech. Oak.
 & Ash. Undergr. Beech & Ironwood.

- West On South Boundary of Sec 32. T. 33. N. R. 9 E.
 10. 00 Enter Willow Swamp
 24. 00 Leave same
 30. 00 A Beech 18 in. diam.
 32. 70 A Unit. Course S E.
 40. 00 Set a gr. Sec post from which
 a Poplar 15 in. diam. bears N. 77 E. 26 links dist.
 a Beech 27 " " " N. 12 W. 15 " "
 63 95 A Sycamore 14 in. diam.
 64. 00 To Willow Swamp
 71. 25 Leave same
 79. 50 Enter wet Prairie
 80. 00 Set a Post cor. to Sec. 31 + 32 from which
 a W. Oak 24 in. diam. bears N. 82 E. 177 links dist &
 a Do 18 " " " S. 60 E. 68 " "
 Land be as before

- West On South Boundary. of Sec 31 T 33 N R 9 E.
 22. 00 Leave the Prairie
 23. 56 An Aspen 16 in. diam.
 40 00 Set a gr. Sec post from which
 a W. Oak 24 in. diam. bears N. 29 E. 53 links dist &
 an B. Oak 24 " " " N. 84 W. 49 " "
 42 50 Enter Maple Swamp & Willow
 62 36 Set a Post on E. Bank of Lake from which
 a Maple 10 in. diam. bears S. 4 E. 48 links dist &
 a Do 12 " " " S. 3 E. 50 " "
 80. 00 Corner to T. 32 + 33 R. 8 + 9
 Land Rolling 4th rate. except the swamp.
 Surveyed by David Hillis C. S.

T 32 N R 9 E. Ind. Mer. Indiana

133

West Boundary var. 5° 58' E.

South On East Boundary of Section 1. T 32 N R 8 E.

Corner to Sec. 1. 32 & 33. R 8 & 9 in Lake.

7. 50 South margin of Lake

Set a Post from which a

W. Oak 9 in. diam. bears N. 27° W. 12 links dist. &

an Elm 18 " " " S. 77° E. 14 " "

30. 40 A W. Oak 18 in. diam.

50 48 Set a gr. Sec. post from which

a W. Oak 30 in. diam. bears S. 89° E. 43 links dist. &

a Blue Ash 8 " " " N. 47° W. 40 " "

62. 50 A Hickory 18 " "

90 48 Set a Post Corner to Sec. 1. 48 from which

an Ironwood 6 in. diam. bears S. 71° W. 11 links dist. &

a Beech 10 " " " N. 21° W. 32 " "

Land 1st Rolling & Bushy. Ind. & bel. Soil 1st rate. Timber. Oak. Ash. Elm.

South On East Boundary of Sec 12 T 32 N R 8 E.

19. 40 A Sycamore 18 in. diam.

35 82 An Elm 18 " "

40 00 Set a gr. Sec. post from which

a Beech 19 in. diam. bears N. 25° W. 39 links dist. &

a Do 10 " " " S. 75° W. 34 " "

60. 00 A Beech 12 in. diam.

80. 00 Set a Post Cor. to Sec. 12 & 13 from which

a Beech 10 in. diam. bears S. 62° W. 36 links dist. &

a Do 12 " " " N. 68° W. 30 " "

Land Rolling soil good. Timber. Sugar. Beech. Ash. Elm. & Oak.

South On East Boundary of Sec 13 T 32 N R 8 E

15. 09 A W. Ash 24 in. diam.

24. 94 A Beech 12 " "

40. 00 Set a gr. Sec. post from which

a Beech 18 in. diam. bears S. 31° W. 26 links dist. &

T32 N. R. 9 E 3rd Mer. Indiana

- a Sugar 6 in. diam. bears N 16 $\frac{1}{2}$ W 8 links dist.
- 52.20 A Beech 12 " " "
- 64.12 A Do 12 " " "
- 80.00 Set a Post cor. to Sec. 13 & 24 from which
a Boxwood 9 in. diam. bears S 64 W 25 links dist &
a Beech 10 " " " N 63 $\frac{1}{2}$ W 40 " "
- Land generally rolling & 1 $\frac{1}{2}$ rate. Timber.
Sugar. Beech. Ash. Elm. & Spruce.

- South On East Boundary of Sec 24 T32 N. R. 8 E.
- 17.60 A B. Walnut 18 in. diam.
- 31.50 A Beech 10 " " "
- 40.00 Set a q. Sec Post from which
a Beech 10 in. diam. bears S 67 $\frac{1}{2}$ W 15 $\frac{1}{2}$ links dist &
a Do 10 " " " N 76 $\frac{1}{2}$ W 15 $\frac{1}{2}$ " "
- 50.64 A Beech 6 in. diam.
- 66.90 A Do 12 " " "
- 80.00 Set a Post cor. to Sec. 24 & 25 from which
a Sugar 20 in. diam. bears S 40 W 45 links dist &
a Do 9 " " " N 43 W 14 " "
- Land the same

- South On East Boundary of Sec 35 T32 N. R. 8 E.
- 12.46 A W. Oak 18 in. diam.
- 35.50 A W. Wood 18 " " "
- 40.00 Set a q. Sec Post from which
a Beech 20 in. diam. bears S 55 $\frac{1}{2}$ W 47 links dist &
an Ironwood 6 " " " N 60 W 14 " "
- 54.20 A W. Oak 18 " " "
- 66.95 An Elm 12 " " "
- 80.00 Set a Post cor. to Sec. 25 & 36 from which
a Beech 6 in. diam. bears S 69 W 25 links dist &
a Do 7 " " " N 38 W 33 " "
- Land the same

- South On East Boundary of Sec 36 T32 N. R. 8 E

135

T 32 N. R 9 E Ind. Mer. Indiana

12. 65 A Beech 10 in. diam.
 27. 94 A W. Wood 30 " "
 40. 00 Set a q. Sec post from which
 an Elmwood 7 in. diam. bears S. 15 W. $7\frac{1}{2}$ links dist. &
 a Sugar 5 " " " N 71 W 13 " "
 A Blue Beech
 77. 00 Enter Miller Swamp
 80. 00 Town Corner.

Land the same as before
 November 1st 1833

Surveyed by
 Sylvester H. Hiley D.S.

- Subdivisions ran 5.20' 6
- North Between Sec. 35 & 36. May 17th 1834
23. 10 An Ash 18 in. diam.
 40. 00 Set a q. Sec post from which
 a W. Oak 18 in. diam. bears N. 69 E. 37 links dist. &
 a Do 22 " " " S 74 W 22 " "
 57. 70 A Beech 12 " "
 72. 50 Thorn Creek 50 links wide. Course S W.
 80. 00 Set a Post Cor. to Sec. 25 & 26. 35 & 36 from which
 an Ash 11 in. diam. bears S. 67 W. 12 links dist. &
 a Do 24 " " " S. 31 E. 17 " "
 South $\frac{1}{2}$ mile Poor land. Timber Oak.
 North $\frac{1}{2}$ " has more Beech - Ash. Sugar &c.
 and is better land.

- East On Random between Sec. 25 & 36
18. 50 Thorn Creek 50 links wide. Course S W
38. 50 Enter Miller Swamp.
64. 00 Left same
80. 00 Intersect the East Boundary, 22 links South of Post
 Land not described.

- West Corrected between Sec. 25 & 36
45. 00 Set a q. Sec post on true line from which

T32 N. R 9 E. 2nd Mer. Indiana.

a Willow 6 in. diam. bears N 16 E. 20 links dist &
 a Do 7 " " " S 14 E. 26 " "
 A Maple 22 in. diam.
 80.00 To Sec. Corner.

North Between Sec. 25 & 26.

16.44 An Ash 15 in. diam.

40.00 Set a q. Sec. post from which
 an Elm 10 in. diam. bears S 69 E 8 links dist &
 a Do 14 " " " S 34 W 4 " "

57.74 A W. Oak 24 " "

80.00 Set a Post cor. to Sec. 23, 24, 25 & 26 from which
 a Beech 10 in. diam. bears N 70 W 26 links dist &
 an Ironwood 9 in. " " N 53 E 12 " "
 Land rolling and 2nd rate. Timber Beech
 Ash Oak. Sugar. &c. Undergr. Ironwood.
 Thorn. Dogwood. &c.

East On Rangeon between Sec. 24 & 25.

62.57 A Brook 12 links wide. Course South

80.74 Intersect the East Boundary 1.44 links North
 of the Post.

Land on the West $\frac{1}{2}$ mile West East $\frac{1}{2}$ mile
 2nd rate. Timber as before

West Corrected between Sec. 24 & 25.

21.69 An Ash 24 in. diam.

40.37 Set a q. Sec. post at aver. dist. from which
 an Ash 11 in. diam. bears S 81 E 9 links dist &
 a Beech 15 " " " S 74 W 12 " "

61.74 An Aspen 12 in. diam.

80.74 To Sec. Corner

North Between Sec. 23 & 24

17.80 An Ash 22 in. diam.

40.00 Set a q. Sec. post from which

137

T. 32. N. R. 9 E. 2nd Mer. Indiana.

a W. Oak 30 in. diam. bears S. 68 E. 27 links dist &
 a Beech 10 " " " N. 29 W. 11 " "
 52. 90 A W. Oak 12 " "
 80. 00 Set a Post cor. to Sec. 13. 14. 23 & 24 from which
 a Beech 28 in. diam. bears S. 61 W. 12 links dist &
 a Do 26 " " " N. 68 E. 23 " "
 Land good 2nd rate. Timber as before

East On Random between Sec. 13 & 24
 11. 90 A Brook 6 links wide. Course South
 55. 00 A Do 8 " " " S. 77
 80. 82 Intersect the E. Boundary, 88 links North of Post.
 Land rolling and good 2nd rate.

West Corrected between Sec. 13. & 24
 20. 62 An Elm 30 in. diam.
 40. 41 Set a q. Sec. post at aver. dist from which
 a Beech 10 in. diam. bears N. 48 W. 18 links dist &
 a Do 11 " " " S. 20 E. 7 " "
 61. 26 A Beech 10 in. diam.
 80. 82 To Sec. corner.

North Between Sec. 13 & 24
 15. 00 An Elm 40 in. diam.
 40. 00 Set a q. Sec. post from which
 a W. Oak 33 in. diam. bears S. 21 E. 24 links dist &
 a B. Walnut 40 " " " N. 4 W. 46 " "
 59. 60 An Ash 60 " "
 80. 00 Set a Post Cor. to Sec. 11. 12. 13 & 24 from which
 a Beech 18 in. diam. bears S. 57 W. 36 links dist &
 an Ash 30 " " " N. 24 E. 25 " "
 Land rolling and good 2nd rate.

East On Random between Sec. 12 & 13
 23. 25 A Brook 20 links wide. Course South
 81. 00 Intersect the E. Boundary, 37 links North of the Post.

T32 N. R. 9 E. Twp. 11 N. 12 E. Ind. 11 N. 12 E.

Land & Timber as last described.

West Connected between Sec. 12 & 13
 21. 80 A Sycamore 18 in. diam.
 40. 50 Set a g. Sec. post at aver. dist. from which
 a B. Walnut 36 in. diam. bears N. 9 E. 7 links dist. &
 an R. Oak 34 " " " S 72 W 7 " "
 72. 69 A Hickory 24 " "
 81. 00 To Sec. Corner.

North Between Sec. 11 & 12
 12. 60 A Hickory 14 in. diam.
 33. 00 To Lake where made. Corner to Sec. 11 & 12 on the
 North Margin of Lake from which
 an Elm 12 in. diam. bears S. 12 W. 70 links dist. &
 a Spruce 11 " " " S. 43 W. 70 " "
 g. Sec. Corner in Lake 6 chains from the
 North Margin of the same
 46. 00 Set a Post cor. to Sec. 11 & 12 on the North side of
 Lake from which
 an Aspen 8 in. diam. bears S. 65 E. 50 links dist. &
 a Spruce 16 " " " N. 9 E. 10 " "
 59. 00 Intersect Lake where set a Post Cor. to Sec. 11 & 13 on
 the S. W. shore. from which
 a Sycamore 15 in. diam. bears S. 52 E. 30 links dist. &
 an Ironwood 9 " " " S. 3 E. 23 " "
 80. 00 Set a Post cor. to Sec. 1. 2. 11 & 12 from which
 (On N. E. shore of Lake)
 a W. Oak 20 in. diam. bears S. 57 W. 38 links dist. &
 an R. Oak 15 " " " N. 74 E. 34 " "

East On Random between Sec. 1 & 12
 80 85 Intersect the E. Boundary 2.22 links North of Post.
 Land rolling and good. Timber. Beech. Ash.
 Sugar Oak. Poplar & Walnut
 South of the East 1/2 mile on this line. there appears

to be a beautiful Lake. but of what extent don't know -
seems to extend over the Range line.

West Connected between Secs. 1 & 2

22. 05 A Beech 15 in. diam.

40 42 1/2 Ch. a q. Sec post at area dist from which
an Elm 15 in. diam. bears S 21 E 33 links dist &
an Ash 18 " " " S 1 W 37 " "

61. 65 An Elm 24 " "

80. 85 To Sec. Corner

North Between Secs. 1 & 2

17. 67 A Beech 16 in. diam.

40. 00 Ch. a q. Sec post from which
a Beech 19 in. diam. bears S 12 W 32 links dist &
an Ash 12 " " " S 28 E 29 " "

59. 90 An Ash 30 " "

79. 00 Intersect the North Boundary 1.25 links West of
the corner where set a Post con. to Sec. 1 & 2. from which
a Cherry 11 in. diam. bears S 65 W 18 links dist &
a Hickory 11 " " " S 78 E 30 " "
Land rolling & good. Timber, Beech. Sugar. Ash.
Elm, Walnut, Oak, Hickory &c.

North Between Secs. 34 & 35

11. 50 A W. Oak 12 in. diam.

40. 00 Ch. a q. Sec post from which
a W. Oak 15 in. diam. bears S 74 E 11 links dist &
a Co 30 " " " S 80 W 35 " "

57. 12 An Ash 11 " "

80. 00 Ch. a Post con. to Secs. 26, 27, 34 & 35 from which
an Elm 28 in. diam. bears S 15 W 21 links dist &
a Co 10 " " " S 5 W 62 " "

Land rolling 2nd rate.

East On Random between Secs. 26 & 35

T32 N. R. 9 E Ind. Mer. Indiana

69.20 A Buck 50 links wide. Course S W. }
 74.40 A Do 50 " " " " } Thorn Creek
 79.40 Intersect the N & S line 144 links South of the Post.
 Land not described

West Corrected between Sec! 26 & 35

13.07 A Buck 24 in. diam.

39.70 Set a gr. Sec post at aver. dist from which
 a Maple 15 in. diam. bears N. 81 E 9 links dist &
 an Ash 12 " " " N. 85 W. 8 " "

59.40 An Ash 30 " "

79.40 To the Corner

North Between Sec! 26 & 27

11.95 A W. Oak. — in. diam.

40.00 Set a gr. Sec post from which
 a Buck 12 in. diam. bears S. 84 E 9 links dist &
 a Hickory 6 " " " S. 36 W. 9 " "

62.90 A W. Oak 19 " "

80.00 Set a Post cor. to Sec! 22. 23. 26 & 27 from which
 a Buck 11 in. diam. bears N. 52 W. 8 links dist &
 a Buckeye 18 " " " N. 76 E 32 " "
 Cont. $\frac{1}{2}$ of this mile rather thin soil
 Timber Ash. Elm. Maple & Walnuts.
 Undergr. Sugar. Buck. Hickory Horse.

East On Random between Sec! 23 & 26

79.00 Intersect the N & S line 40 links South of the Post.
 Land Ind. rate. Timber as before

West Corrected between Sec! 23 & 26

19.60 A W. Oak 22 in. diam.

39.80 Set a gr. Sec post at aver. dist from which
 an Ash 10 in. diam. bears S. 76 E 6 links dist &
 a Hickory 12 " " " N. 81 W. 11 " "

59.30 A Buck 14 " "

141

T 32. N. R 9 E 1st Mer. Indiana

79. 60 To Sec. Corner.

North Between Secs. 22 & 23.

16. 68 A Beech 14 in. diam.

20. 00 Enter Swamp

40. 00 Set a q. Sec. post from which
an Ash 6 in. diam. bears N 12 E 1. 18 links dist. &
an Ash 6 " " " N 22 W 140 " "

57. 00 Left the Swamp

62. 62 A W. Oak 30 in. diam.

80. 00 Set a Post cor. to Secs. 14 15 22 & 23 from which
a Beech 12 in. diam. bears N. 14 E 8 links dist. &
a " 11 " " " S 15 E 14 " "

Land not described May 19th 1834

East On Ransom between Secs. 14 & 23

22. 00 A Brook 15 links wide. Course South.

79. 37 Intersect the N & S line 30 links South. of the Post.
Land rolling 2nd rate. Timber. Beech, Ash
Oak, Elm, Hickory, &c.

West Corrected between Secs. 14 & 23

19. 05 An Ash 20 in. diam.

39. 68 Set a q. Sec. post at over dist. from which
an Ash 15 in. diam. bears S. 79 E. 14 links dist. &
a Beech 14 " " " N 66 W 30 " "

59. 27 A Sugar 18 " "

79. 37 To Sec. Corner.

North Between Secs. 14 & 15

15. 90 An Ash 30 in. diam.

40. 00 Set a q. Sec. post from which
a W. Oak 40 in. diam. bears S. 67 W. 6 links dist. &
a Buckeye 12 " " " N 67 E. 10 " "

55. 00 An Ash 30 " "

61. 30 A Brook 8 links wide. Course S. & E.

T 33 N. R. 9 E. 2nd Mer. Indiana

50.00 Set a Post cor. to Sec. 10. 11. 14 & 15 from which
 an Ash 34 in. diam. bears S. 21 E. 22 links dist. &
 an Greenwood 5 in. " " N. 37 W. 25 " "
 Land Rolling 2nd rate. heavy timber. Beech.
 Ash. Elm. Oak. Hickory. Walnut. Undergth
 Sugar. Maple. Beech. Greenwood. Hickory. Dogwood
 and Water Beech.

East On Random between Sec. 11 & 14
 79.86 Intersect the N & S line 7 links North of the Post
 Land & Timber as before

West Corrected between Sec. 11 & 14
 21.18 An Elm 15 in. diam.
 39.93 Set a gr. Sec. post at aver. dist. from which
 a Beech 19 in. diam. bears S. 65 E. 25 links dist. &
 a Do 12 " " " N. 57 W. 45 " "
 66.66 A B Walnut 33 in. diam.
 79.86 To Sec. Corner

North Between Sec. 10 & 11
 1.72 An Ash 20 in. diam.
 40.00 Set a gr. Sec. post from which
 a B. Oak 18 in. diam. bears S. 14 E. 4 links dist. &
 an Ash 11 " " " N. 47 W. 40 " "
 52.40 A Sugar 30 " "
 80.00 Set a Post cor. to Sec. 2. 3. 10 & 11 from which
 a W. Oak 20 in. diam. bears S. 10 E. 27 links dist. &
 a Beech 13 " " " N. 42 W. 20 " "
 Land good 2nd rate. heavy timbered. Beech
 Ash. Oak. Hickory. Walnut. Undergth close
 Sugar. Beech & Dogwood.

East On Random between Sec. 2 & 11
 7.51 Intersect the West end of a Lake where set a Post
 cor. to Sec. 2 & 11 from which

T 32 N. R 9 E. 2nd Mer. Indiana

143

- a Willow 6 in. diam. bears S. 11 E. 28 links dist. &
 a Do 6 " " " " S. 18 E. 56 " "
 38. 48 Set a Post cor. to Sec. 2 & 11 on East side of Lake
 from which
 a W. Oak 11 in. diam. bears S. 13 W. 8 links dist. &
 an R. Oak 12 " " " " S. 9 W. 20 " "
 47. 08 A Hickory 12 " "
 53. 48 Intersect the S. W. shore of a Lake where set a
 Post cor. to Sec. 2 & 11 from which
 a W. Oak 12 in. diam. bears S. 45 W. 21 links dist. &
 an Elm 18 " " " " S. 8 W. 28 " "

Land not described

May 20th. 1834.

North Between Sec. 2 & 3

12. 36 A W. Oak 14 in. diam.
 40. 00 Set a q. the post from which
 a W. Oak 15 in. diam. bears S. 17 W. 27 links dist. &
 a Hickory 14 " " " " S. 29 W. 45 " "
 70. 30 A Beech 18 " "
 80. 80 Intersect the North Boundary 2. 77 links N. of
 of the Post. where made cor. to Sec. 2 & 3 from which
 an Elm 36 in. diam. bears S. 14 W. 17 links dist. &
 a Beech 12 " " " " S. 45 E. 36 " "
 Land good 2nd rate. Timber same

North Between Sec. 33 & 34

9. 00 A Brook 15 links wide. Course S. E.
 12. 25 A Beech 24 in. diam.
 40. 00 Set a q. the post from which
 a Beech 14 in. diam. bears N. 44 E. 33 links dist. &
 a Do 16 " " " " S. 12 E. 40 " "
 54. 50 A Sugar 22 " "
 80. 00 Set a Post corner to Sec. 27. 28. 33 & 34 from which
 a Sugar 22 in. diam. bears N. 88 E. 25 links dist. &
 a Beech 10 " " " " S. 23 W. 35 " "

T³² A. R. 9 E. 2nd Mer. Indiana

Land gently rolling. Scattered. Timber, Beech, Oak, Ash, Sugar, Hickory, Elm, Linn. Walnut, Undergth Sugar, Ironwood, Dogwood, Beech, Hick^o.

East On Random between Sec. 27 & 34
79.70 Intersect the N & S line 90 links South of Post.
Land rolling. Scattered. Timber as before.

West Corrected between Sec. 27 & 34
9.55 An Ash 28 in. diam.
39.85 Set a q. c. post at aver. dist. from which
an Elm 36 in. diam. bears S. 47 E. 24 links dist. &
a Do 18 " " " N. 17 W. 35 " "
67.25 An Elm 12 " "
79.70 To the corner.

North Between Sec. 27 & 28
17.74 An Ash 20 in. diam.
40.00 Set a q. c. post from which
a Beech 16 in. diam. bears N. 63 E. 19 links dist. &
a Do 18 " " " N. 75 W. 34 " "
61.50 A Beech 25 " "
80.00 Set a Post cor. to Sec. 21, 22, 27, & 28 from which
an Elm 10 in. diam. bears S. 72 W. 9 links dist. &
a Do 8 " " " N. 11 E. 15 " "
Land & Timber as before

East On Random between Sec. 22 & 27
80.68 Intersect the North & South line 1.80 links North of
the Post.
Land same as last mile. rather more
Oak Timber

West Corrected between Sec. 22 & 27
20.88 A W. Oak 22 in. diam.
40.34 Set a q. c. post from which

T 32. N R 9 E. 3rd Mer. Indiana.

145

a Hickory 28 in. diam. bears S. 54. W. 16 links dist. &
 an Elm 22 " " " N 55 E 24 " "
 72. 28 An Ash 12 " "
 80. 68 To Sec. corner.

North Between Sec. 21 & 22
 21. 46 A W. Oak
 46. 00 Set a g. Sec post from which
 a W. Oak 16 in. diam. bears S. 79 E. 16 links dist. &
 a Do 10 " " " N. 74 W. 25 " "
 49. 50 A W. Oak 24 " "
 63. 50 A Brook 6 links wide. Course S. E.
 80. 00 Set a Post cor. to Sec. 15 16. 21 & 22 from which
 a B. Oak 12 in. diam. bears S. 44 E. 32 links dist. &
 a Do 12 " " " N. 25 W. 34 " "
 Land North 1/2 mile very good. Timber. Beech,
 Oak. Ash. Sugar. Elm, & Walnut. Underg.
 Dogwood. Ironwood & Sugar.

East On Random between Sec. 15 & 22
 36. 70 A Spring Branch. Course S. E.
 61. 00 A Brook 6 links wide. Cor. S. E.
 80. 78 Intersect the N & S line 2. 90 links North of Post.
 Land Rolling good 3rd rate. particularly the
 West 1/2.

West Connected between Sec. 15 & 22.
 40. 39 Set a g. Sec post at aver. dist. from which
 a Buckeye 11 in. diam. bears N. 74 E. 12 links dist. &
 a Buck 11 " " " N. 85 W. 20 " "
 63. 72 An Ash 12 " "
 80. 78 To Sec. corner.

North Between Sec. 15 & 16
 22. 25 A Buck 20 in. diam.
 40. 00 Set a g. Sec post from which

T³² N. R. 9. E. 2nd Mer. Indiana

- a B. Oak 19 in. diam. bears S. 55 W. 32 links dist. &
 an Elm 30 " " " S. 16 E. 32 " "
55. 35 A W. Oak 40 " "
80. 00 Set a Post cor. to Sec. 9. 10. 15 & 16 from which
 a Beech 16 in. diam. bears S. 60 W. 22 links dist. &
 a Do. 16 " " " S. 19 E. 30 " "
 Land on the South 1/2 mile very good. North 1/2
 not so good. Timber as before.

- East On Random between Sec. 10 & 15
80. 50 Intersect the N & S line 1.62 links North of the Post.
 Land good except some swamps near the q. Sec.
 corner. May 21st 1834

- West Corrected between Sec. 10 & 15
23. 08 An Ash 26 in. diam.
40. 25 Set a q. Sec. post at aver. dist. from which
 a Maple 18 in. diam. bears S. 75 W. 8 links dist. &
 a Hickory 14 " " " S. 50 E. 16 " "
68. 43 A W. Oak 30 " "
80. 50 To Sec. corner

- North Between Sec. 9 & 10
25. 45 A Beech 15 in. diam.
40. 00 Set a q. Sec. post from which
 a Beech 9 in. diam. bears N. 41 E. 24 links dist. &
 a Do. 9 " " " S. 48 W. 31 " "
58. 70 A W. Oak 18 " "
80. 00 Set a Post cor. to Sec. 3. 4. 9 & 10 from which
 an Ash 10 in. diam. bears N. 29 E. 13 links dist. &
 an Elm 11 " " " S. 15 E. 16 " "
- Post in Swamp?
 South 1/2 mile good land. North 1/2 injured with
 swamps.

- East On Random between Sec. 3 & 10

S 32 N R 9 E 2nd Mer. Indiana.

147

80. 55 Intersect the N & S line 80 links South of the Post.
Land rolling & swampy. Very close Underbrush

West Corrected between Sec! 3 & 10

25. 55 A Beech 23 in. diam?

40. 27 1/2 Set a q. Sec. post at aver. dist. from which
an Ash 36 in. diam. bears S. 48 W. 13 links dist. &
a Poplar 20 " " " N 75 E 10 " "

74. 00 A W. Oak 18 " "

80 55 To Sec. Corner

North Between Sec! 3 & 4

22. 50 A W. Oak 26 in. diam?

40. 00 q. Sec. Corner 1.70. in Lake
an Elm 10 in. diam. bears West 1.80 from place of
corner in West margin of Lake.

This Lake lies mainly East of this Corner.

53. 90 To the South shore of a Lake. where made corner
to Sec! 3. & 4 from which
an Q. Oak 40 in. diam. bears S. 6 W. 26 links dist. &
an Ironwood 7 " " " N. 71 W. 7 " "
Land. poor. A swampy bad country

North Between Sec! 32 & 33

29. 00 A W. Oak 30 in. diam?

40. 00 Set a q. Sec. post from which
an Elm 8 in. diam. bears N. 63 E. 3 links dist. &
an Aspen 8 " " " N. 74 W. 3 " "

62. 25 An Elm 18 in. diam?

80. 00 Set a Post Cen. to Sec! 28. 29. 32 & 33 from which
an Ash 12 in. diam. bears S. 68 W. 5 links dist. &
an Elm 10 " " " S. 44 E. 32 " "
Land not described.

East On Random between Sec! 28 & 33.

61. 00 A Brook 12 links wide. Course. S. E.

T³² N. R. 9 E 2nd Mer. Indiana.

80.00 Intersect the N & S line 30 links North of Post.
Land 2nd rate

Note Corrected between Sec. 28 & 33

21.00 A Beech 14 in. diam.

40.00 Set a g. Sec. post from which
a Cypres 24 in. diam. bears S. 5 E. 47 links dist. &
an Elm 20 " " " N. 56 W. 19 " "

55.00 A Hickory 12 in. diam.

80.00 To Sec. corner.

North Between Sec. 28 & 29

13 45 A Beech 12 in. diam.

40.00 Set a g. Sec. post from which
a Buckeye 11 in. diam. bears N. 75 W. 36 links dist. &
an Q. Oak 15 " " " S. 70 E. 20 " "

55.50 An Elm 30 " "

58 50 A Brook 12 links wide. course S.E.

80.00 Set a Post cor. to Sec. 20. 21. 28 & 29 from which
an Chestnut 8 in. diam. bears N. 5 E. 8 links dist. &
an Ash 8 " " " S. 25 E. 26 " "

Land & Timber same as last mile

East On Random between Sec. 21 & 28

80 15 Intersect the N & S line at Post
Land good 2nd rate

Note Corrected between Sec. 21 & 28

20.55 An Elm 14 in. diam.

40.07 1/2 Set a g. Sec. post at av. dist. from which
a Beech 24 in. diam. bears N. 8 W. 18 links dist. &
an Ash 22 " " " S. 32 E. 42 " "

60.45 A Beech 28 " "

80.15 To Sec. corner

North Between Sec. 20 & 21

149

T 32 N R 9 E. Ind. Mer. Indiana

19.20 An R. Oak 40 in. diam
 40.00 Set a g. Sec. post from which
 a W. Oak 36 in. diam. bears S 36 E 20 links dist &
 a Do 50 " " " N 50 W 40 " "
 50.00 Set a Post cor. to Sec. 16. 17. 20 & 21 from which
 a Beech 10 in. diam. bears S 63 E 6 links dist &
 a Hickory 12 " " " West 32 " "
 Land Rolling 2nd rate. Beech land.

East On Random between Sec. 16 & 21
 80.45 Intersect the N & S line 13 links South of the Post.
 Land level 2nd rate. Timber. Beech. Ash.
 Sugar. Elm. Maple. Oak. Hickory & Walnut.
 Undergrowth. Dogwood. Ironwood. Sugar. Beech &
 Hickory.

West Corrected between Sec. 16 & 21
 20.65 A Beech 10 in. diam.
 40.22 1/2 Set a g. Sec. post at aver. dist. from which
 an Elm 12 in. diam. bears N 34 W 15 links dist &
 an Ash 18 " " " S 1 E 12 " "
 61.00 A Beech 18 " "
 80.45 To Sec. corner.

North Between Sec. 16 & 17.
 16.90 A W. Oak 24 in. diam.
 40.00 Set a g. Sec. post from which
 a Hickory 14 in. diam. bears N 85 W 12 links dist &
 a Beech 12 " " " S 32 W 11 " "
 52.80 A Spruce 18 " "
 80.00 Set a Post cor. to Sec. 8. 9. 16 & 17 from which
 a Beech 19 in. diam. bears S 35 W 24 links dist &
 a Do 18 " " " N 40 E 29 " "
 Land rolling & good 2nd rate

East On Random between Sec. 9 & 10

Twp. 1. R. 9 E. 2nd Mer. Indiana

80. 60 Intersect the N & S line 142 links South of Post.
Land & Timber as before. Very close undergrowth
and a very wet day.

West Corrected between Sec. 9 & 16

20. 45 An Ash 24 in. diam.

40. 30 Set a q. Sec. post at aver. dist. from which
a Buck 30 in. diam. bears West 30 links dist. &
a Do. 22 " " " East 24 " "

70. 48 A Buck 16 " "

80. 60 To Sec. corner

North Between Sec. 8 & 9

11. 47 A Buck 18 in. diam.

40. 00 Set a q. Sec. post from which
a Maple 16 in. diam. bears N. 4 W. 34 links dist. &
an Ironwood 5 " " " S. 24 E. 14 " "

59. 00 A B. Walnut, 50 in. diam.

80 00 Set a Post cor. to Sec. 4. 5. 8. & 9 from which
an Elm 12 in. diam. bears N. 48 E. 14 links dist. &
a Do 12 " " " S. 17 W. 22 " "
Land rolling & the ridges are very rich

East Between Sec. 4 & 9.

79. 84 Intersect the N & S line 1. 23 links South of Post.
Land good except at each end.

West Corrected between Sec. 4 & 9

19. 90 An Ash 30 in. diam.

39. 92 Set a q. Sec. post at aver. dist. from which
a Linn 20 in. diam. bears N 28 W 18 links dist. &
a Hickory 11 " " " S 30 E 25 " "

60. 94 A Buck 16 " "

79. 84 To Sec. corner

North Between Sec. 4 & 5

T33. N. R 9 E. 2nd Mer. Indiana

151

14. 32 An Elm 17 in. diam.
 40. 00 Set a g. Sec. post, from which
 an Ash 11 in. diam. bears S. 22 W. 22 links dist. &
 a Beech 12 " " " N 70 E 30 " "
 61. 50 An Elm 24 " "
 83. 13 Intersect the North Boundary 6.64 links West of
 the Post. Set a Post cor. to Sec. 4 + 5 from which
 an Ironwood 6 in. diam. bears S. 8 E. 13 links dist. &
 a W. Oak 33 " " " N 31 W 17 " "
 Land inclining to wet. Timber. Beech. Oak. Ash
 Sugar. Maple. Elm. some swamps handsomely
 interspersed May, 24th 1834.

North Between Sec. 31 + 32

16. 90 A Hickory 24 in. diam.
 40. 00 Set a g. Sec. post, from which
 a W. Oak 22 in. diam. bears N. 20 E. 27 links dist. &
 a Beech 11 " " " S 3 E 17 " "
 57. 20 A Beech 18 " "
 80. 00 Set a post cor. to Sec. 29. 30. 31. + 32 from which
 a Willow 10 in. diam. bears S. 52 W. 13 links dist. &
 an Elm 12 " " " S 53 E 22 " "
 Land moderate. Timber Beech. Hickory. Oak.
 Ash. &c.

West On Random between Sec. 31 + 32

79. 87 Intersect the N + S line 2.25 links South of the Post.
 Land flat + wet. Timber. Hickory. Oak + Ash.

East Corrected between Sec. 30 + 31

- At the cor. on West Boundary. Set a Post cor. to Sec.
 30 + 31 from which
 an R. Oak 30 in. diam. bears N. 45 E. 10 links dist. &
 a Beech 10 " " " S 65 E 43 " "
 39. 87 Set a g. Sec. post from which
 a Hickory 18 in. diam. bears N. 11 E. 18 links dist. &

T 32 N. R 9 E 2nd Mer. Indiana

a Hickory 24 in. diam. bears S. 2 E 32 lks. dist.
 64. 47 A W. Oak 60 " " "
 79. 87 To E.C. corner.

* East On Random between Sec. 29 + 32
 79. 00 Intersect the N + S line 6 links South of the Post.
 Land rolling & rate.

Note Corrected between Sec. 29 + 32.
 19. 25 A Beech 12 in. diam.
 39. 50 Set a q. Sec. post at aver. dist. from which
 a Beech 22 in. diam. bears S. 60 E. 18 links dist. &
 an Ash 11 " " " N 60 W 73 " "
 67. 70 An Ash 22 " "
 79. 00 To E.C. corner

North Between Sec. 29 + 30.
 11. 35 A Beech 36 in.
 40. 00 Set a q. Sec. post from which
 a Walnut 50 in. diam. bears N. 24 E. 31 links dist. &
 an Ash 11 " " " S 12 E 8 " "
 59. 20 An Ash 12 " "
 60. 00 Set a Post cor. to Sec. 19. 20. 29 + 30 from which
 a Hickory 12 in. diam. bears N. 4 W. 8 links dist. &
 a Beech 11 " " " S 4 E 9 " "
 Timber last described.

East On Random between Sec. 20 + 29
 65. 40 A Brook 10 links wide. course S.E.
 79. 90 Intersect the N + S line 135 links South of the Post.
 Land & Timber same

Note Corrected between Sec. 20 + 21
 9. 70 An R. Oak 50 in. diam.
 39. 95 Set a q. Sec. post at aver. dist. from which
 an Elm 28 in. diam. bears N 5 E 40 links dist. &

153

T 32 N. R. 9 E. 2nd Mer. Indiana.

an Ash 10 in. diam. bears S 31 E 50 links dist.
 72. 95 An Ash 30 " "
 79. 90 To Sec. Corner.

 Note On Random between Sec. 19 + 30
 78. 90 Intersect the West Boundary, 2.36 links North of Post.
 Land rolling 2nd rate

East Corrected between Sec. 19 + 30
 At the Corner on West Boundary, Set Post cen. to Sec.
 19. + 30. from which
 a Sugar 7 in. diam. bears N. 74 E. 22 links dist. &
 a Do 12 " " " S 34 E 52 " "
 18. 20 A Beech 36 " "
 38. 90 Set a g. Sec. post on true line from which
 a Beech 14 in. diam. bears E. 40 N. 9 links dist. &
 a Hickory 12 " " " N. 39 E. 10 " "
 50. 00 An Elm 24 " "
 78. 90 To Sec. Corner. May 26th 1834

North Between Sec. 19 + 20
 15. 50 A Beech 14 in. diam.
 40. 00 Set a g. Sec. post from which
 an Elm 30 in. diam. bears S. 45 W. 35 links dist. &
 a Walnut 30 " " " N. 73 E. 40 " "
 51. 50 A Sycamore 36 " "
 80. 00 Set a Post cen. to Sec. 17. 18. 19. + 20 from which
 a Walnut 22 in. diam. bears N. 76 E. 50 links dist. &
 an Ash 16 " " " S. 79 W. 40 " "
 Land + Timber same as last mile

East On Random between Sec. 17 + 20.
 79. 10 Intersect the N + S line 80 links South
 Land + Timber as before

Note Corrected between Sec. 17 + 20.

T32 N. R. 9 E. 2nd Mer. Indiana.

19.50 An Ash 22 in. diam.

39.55 Set a gr. Sec. post at aver. dist. from which
a Maple 14 in. diam. bears S 25. W 7 links dist. &
an Ash 16 " " " N 29 E 7 " "

60.90 An Elm 18 " "

79.10 To Sec. corner.

West On Random between Sec. 18 & 19

77.90 Intersect the N & S line 20 links North of Post.
Land & Timber same as last mile.

East Connected between Sec. 18 & 19

At corner on the West boundary. Set a Post
corner to Sec. 18 & 19 from which
a Hickory 24 in. diam. bears N 36 E 58 links dist. &
a Birch 12 " " " S 49 E 34 " "

17.40 A Sugar 30 " "

37.90 Set a gr. Sec. post from which
a Birch 11 in. diam. bears S 60 W 34 links dist. &
an R. Oak 36 " " " S 81 E 5 " "

61.70 A Birch 24 " "

77.90 To Sec. corner

North Between Sec. 17 & 18

40.00 Set a gr. Sec. post from which
an R. Oak 30 in. diam. bears S 42 E 41 links dist. &
a Do 22 " " " N 50 E 10 " "

54.20 A W. Oak 6 " "

80.00 Set a Post cor. to Sec. 7, 8, 17 & 18 from which
an Elm 14 in. diam. bears N 40 W 12 links dist. &
a Do 12 " " " N 57 E 14 " "
Land & Timber as before

East On Random between Sec. 8 & 17

78.75 Intersect the N & S line 32 links South of Post
Land & Timber as before

155

T 32 N. R. 9 E 2nd Mer. Indiane

- West Corrected between Sec. 8 & 17
18. 10 A Beech 22 in. diam?
39. 87 1/2 Set a q. Sec. post from which
 a Beech 12 in. diam. bears S. 20 E. 25 links dist &
 a Do 11 " " " N 31 W. 29 " "
69. 75 An Ash 22 " "
78. 75 To Sec. Corner

West On Random between Sec. 7 & 18

76. 26 Intersect the West Boundary 227 links North of Post
 Land & Timber as before.

-
- East Corrected between Sec. 7 & 18
- At the Cor. on West Boundary. Set a Post cor. to
 Sec. 7 & 18 from which
 a Hickory 28 in. diam. bears N. 9 E. 16 links dist &
 a Do 14 " " " S 23 E 37 " "
16. 26 A Beech 24 " "
36. 26 Set a q. Sec. post on true line from which
 a Beech 20 in. diam. bears S. 4 E. 15 links dist &
 an Ironwood 10 in. " " N 24 E 27 " "
55. 51 A Beech 12 " "
76. 26 To Sec. Corner

-
- North Between Sec. 7 & 8
23. 54 A Beech 20 in. diam?
40. 87 Set a q. Sec. post from which
 a W. Oak 28 in. diam. bears N. 35 E. 13 links dist &
 an Ash 22 " " " S 28 W. 36 " "
60. 40 A Hickory 12 in. diam?
80. 00 Set a Post cor. to Sec. 5. 6. 7. & 8 from which
 an Elm 7 in. diam. bears N. 63 E. 11 links dist &
 a Do 12 " " " S. 74 W. 32 " "
- Land & Timber as before

East On Random between Sec. 5 & 8.

T³² N. R⁹ E. 2nd Mer Indiana.

78. 45 Intersect the N & South of the Post.
Land & Timber as before
May 27th 1834

West Corrected between Sec. 5 & 8

18. 45 An Ash 60 in. diam.

39. 22 1/2 Let a q. Sec. post at aver. dist from which
a Beech 20 in. diam. bears S. 58 E. 35 links dist &
a Do 24 " " " N. 43 W. 25 " "

68. 40 A W. Oak 60 in. diam.

78. 45 To Sec. Corner.

West On Random between Sec. 6 & 7

Intersect the N & S line or West Boundary 50
links South of the Post.

Land. West 1/2 mile good. East 1/2 poor.

Timber. Beech. Oak Ash Hickory. Syc.

Elm. &c. Undergth Greenwood. " Beech &
Water Beech.

East Corrected between Sec. 6 & 7

75 80 At the corner on West Boundary, let a Post
Cor. to Sec. 6 & 7 from which
a Beech 15 in. diam. bears N. 88 E. 33 links dist &
a Poplar 28 " " " S 39 E 39 " "

33. 13 A Hickory 20 in. "

35. 80 Let a q. Sec. post on true line from which
an Elm 14 in. diam. bears S. 44 E. 11 links dist &
a Do 28 " " " N. 8 W. 16 " "

60 50 A W. Oak 28 in. diam.

75. 80 To Sec. Corner.

North Between Sec. 6 & 5

40. 00 Let a q. Sec. post from which
a B. Oak 22 in. diam. bears N. 35 W. 48 links dist &
an Ash 12 " " " S 73 E 36 " "

157

T 32. N. R 9 E. Ind. Mer. Indiana

67. 16 A Hickory 20 in. diam.
 71. 45 Enter Mt. Prairie
 86. 45 Intersect the North Boundary 500 West of Pct. where
 set a Pct. cor. to Sec. 5 & 6 from which (in Prairie)
 a W. Oak 14 in. diam. bears S. 52 E. 6. 25 links dist. and
 a W. Elm 22 " " " South 15 20 " "
 Land Prov. Oak. Maple & Willow & Swamps.
 May 30th 1834

Meanders of a Lake in Sec. 6
 Beginning at a spot on the South side of Lake
 on line between Ranges 8 & 9

Courses	Distances	Remarks
East	11.50	
N 56 E	3.00	
N 38 E	8.04	To Pct. on line between Towns 32 & 33 Range 9 E.

Meanders of Lake in Sections 3 & 4
 Beginning at the corner where the line between
 Sections 3 & 4 intersects the Lake Thence

S 35 E	3.50
South	2.50
S 20 W	5.30 To Sec. line

S 20 W	1.50	in Sec. 4.
S 41 W	2.00	At 70 links due West of 9 th Sec. corner which stands in Lake
S 7 E	4.00	
S 47 E	1.80	To line between Sec. 3 & 4

S 47 E	16.50	in Sec 3
S 86 E	6.50	
N 68 E	39.00	

T 32 N. R 9 E Twp. Indiana

S 62 E	3.00	
S 38 E	11.00	
N 76 E	9.00	
N 49 E	6.00	
N 32 E	3.00	
N 49 W	16.00	
N 87 W	6.50	
N 69 W	33.00	At 40 an Inlet 10 links wide Course N.E.
N 45 W	13.50	
N 71 W	7.00	
N 42 W	5.77	To the corner on Town line on East side of Lake.

From the corner on Town line on East side of

S 28 W	8.50	
S 7 W	7.00	
S 28 E	3.50	
S 64 E	7.00	
S 44 E	5.50	
S 67 E	2.50	
S 75 E	1.93	To place of Beginning

Meanders of a Lake in Sec 12
Beginning at the corner on Range line between
Ranges 9 & 10 on South side of Lake S 49 W 28.50

West	550	At 3.20 An Outlet 12 links wide. Cr. South.
N 77 W	17.00	
S 84 W	5.50	
N 87 W	6.39	
N 75 W	5.50	
N 27 W	4.50	
N 16 E	3.50	
North	7.50	At 500 An Outlet 15 links wide from West.
N 38 E	3.00	
S 75 E	7.00	
N 33 E	4.00	

159

T 32 N. R 9 E 2nd Mer. Indiana.

N 70 E 8.00

N 33 E 13.00

N 80 E 3.50

N 62 E 20.00

S 85 E 11.50 At 8.40 an Outlet 9 links wide. from North.

S 39 E 3.50

S 11 E 1.50 To Corner on Range line between Ranges 9 & 10 on the North side of Lake.

Meanders of a Lake in Twp 32 N. R. 9 E 2nd Mer.
Beginning at the Corner for Sec. 2 & 11 on the
West Margin of the Lake. Thence in Sec 11.

S 21 E 3.00

S 45 E 6.00

S 54 E 6.50

S 31 E 6.50

S 74 E 11.00

S 36 E 18.00

S 60 E 6.00

S 53 E 15.00

S 76 E 15.00

N 79 E 5.00

N 48 E 4.16 To Corner on line between Sec. 11 & 12

S 45 E 3.50 In Sec 12

S 85 E 11.00 At 10.00 an Outlet 12 links wide. Course South.

N 35 E 4.00

N 6 E 10.00

N 80 W 4.00

West 6.00

N 65 W 7.23 To Corner on line between Sec. 11 & 12
on the South side of Lake. Thence in

N 63 W 28.00 Sec 11

N 46 W 10.00

N 30 W 6.00

T³² A. R. G. E. 2nd Mer. Indiana

N 49 W 5.00

N 65 W 5.18 To Corner on line of Sections 2 & 11 Thence

N 29 W 1.50

In Sec. 2

N 68 W 9.00

West 5.00

N 79 W 11.00

S 48 W 8.00

S 4 E 2.00 To the place of beginning
Being the corner on the line of Sections 2 & 11
on the West end of Lake.Meanders of a Lake beginning at the corner
on the line between Sections 2 & 11 on the S. West
shore of Lake. Thence in Sec. 11.

S 41 E 9.00

S 67 E 21.50

S 39 E 4.00 To the cor. on line between Sections 11 & 12

Thence along Lake shore in Sec. 12

S 53 E 9.00

N 81 E 6.00

N 55 E 3.00

East 13.00

N 42 E 4.00

N 77 E 8.00

N 29 E 9.00 At 4.00 an outlet 15 links wide. South

N 56 W 7.00

N 78 W 25.75

West 10.00 To the corner of the 1. 2. 11 & 12

Thence along the shore of Lake in Sec. 2,

N 48 W 14.00

N 33 W 5.00

N 68 W 10.00

N 71 W 6.00

161

S 32 N R 9 E Ind. Mer. Indiana

S 69 W 9.00

S 46 W 32.00

S 70 W 9.00

S 38 W 6.00

S 1 W 5.00

S 26 E 5.00

S 56 E 14.00

S 71 E 16.00

S 7 E 2.00

S 20 W 8.00

S 44 E 8.00

S 77 E 7.90

East 7.22 To corner on line between Sec. 2 & 11

being the place of Beginning

May 22^d 1834

Surveyed by
John Hendricks
Dep. Sur.

Comp.

T 32 N. R 9 E. 2nd Mer. Indiana

I certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States for the States of Ohio, Indiana and the Territory of Michigan, bearing date the 27th day of December, 1833 and in good conformity to the laws of the United States and the instructions of said Surveyor General. I have surveyed and subdivided into sections, Township N^o 32 North of Range 8th 9 East of the 2nd Mer. in the State of Indiana, and I do further certify that the foregoing are the true and mainly the original notes of the said survey and subdivisions executed as aforesaid.

Certified this 30th day of May 1834.

John Hendricks
Dep. Surveyor.

William Cash }
William Felton } Chairmen.

I certify that the foregoing transcripts of the Field Notes of Township N^o 32 North of Range of N^o 9 East of the 2nd Mer Indiana has been compared with the original notes in this Office and found to be correct.

Surveyor General's Office }
Cincinnati. Mar. 31. 1845 }

William Johnston
Sur. Genl.